according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : arecal Active Clean active windscreen cleaner 5 litres

Product code : 0895 214 5

Unique Formula Identifier

(UFI)

: VDA0-E094-800V-VT5U

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Detergent, Cleaning agent Professional use product

Recommended restrictions

on use

: Not applicable

1.3 Details of the supplier of the safety data sheet

Company : RECA FRANCE

5, rue Edouard Branly 67116 Reichstett

Telephone : +33 03 90 20 35 50

E-mail address of person

responsible for the SDS

: sds@reca.com

1.4 Emergency telephone number

ORFILA (France) +33 (0) 1 45 42 59 59

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour. Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

Hazard pictograms

(!)

Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin with

water.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Alcohol

Components

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2024

 4.1
 05.11.2024
 10215031-00008
 Date of first issue: 10.11.2021

Propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 10 - < 20
2-Butoxyethanol	111-76-2 203-905-0 603-014-00-0 01-2119475108-36	Acute Tox. 4; H302 Acute Tox. 3; H331 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Acute toxicity estimate Acute oral toxicity: 1.200 mg/kg Acute inhalation toxicity (vapour): 3 mg/l	>= 1 - < 10
Ammonium hydroxide	1336-21-6 215-647-6 007-001-01-2	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 EUH071 M-Factor (Acute aquatic toxicity): 1 specific concentration limit STOT SE 3; H335 >= 5 % Acute toxicity estimate	>= 0,1 - < 0,25
		Acute oral toxicity: 350 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.

Avoid inhalation of vapour or mist.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and

sources of ignition.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures, which in contact with water, emit

flammable gases

Explosives Gases

Very acutely toxic substances and mixtures

Storage period : 24 Months

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





SDS Number: Date of last issue: 10.06.2024 Version Revision Date: 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

Recommended storage tem- : 0 - 40 °C

perature

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propan-2-ol	67-63-0	VLCT (VLE)	400 ppm 980 mg/m3	FR VLE
	Further information: Permissible limit values (circular)			
2-Butoxyethanol	111-76-2	TWA	20 ppm 98 mg/m3	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	50 ppm 246 mg/m3	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		VME	10 ppm 49 mg/m3	FR VLE
	Further information: Risk of penetration through skin, Regulatory binding exposure limits			
		VLCT (VLE)	50 ppm 246 mg/m3	FR VLE
	Further information: Risk of penetration through skin, Regulatory binding exposure limits			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

	` ,		` '	
Substance name	End Use	Exposure routes	Potential health effects	Value
Propan-2-ol	Workers	Inhalation	Long-term systemic effects	500 mg/m3
	Workers	Skin contact	Long-term systemic effects	888 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	89 mg/m3
	Consumers	Skin contact	Long-term systemic effects	319 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	26 mg/kg bw/day
2-Butoxyethanol	Workers	Inhalation	Long-term systemic	98 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.06.2024

 4.1
 05.11.2024
 10215031-00008
 Date of first issue: 10.11.2021

		effects	
Workers	Inhalation	Acute systemic effects	1091 mg/m3
Workers	Inhalation	Acute local effects	246 mg/m3
Workers	Skin contact	Long-term systemic effects	125 mg/kg bw/day
Workers	Skin contact	Acute systemic effects	89 mg/kg bw/day
Consumers	Inhalation	Long-term systemic effects	59 mg/m3
Consumers	Inhalation	Acute systemic effects	426 mg/m3
Consumers	Inhalation	Acute local effects	147 mg/m3
Consumers	Skin contact	Long-term systemic effects	75 mg/kg bw/day
Consumers	Skin contact	Acute systemic effects	89 mg/kg bw/day
Consumers	Ingestion	Long-term systemic effects	6,3 mg/kg bw/day
Consumers	Ingestion	Acute systemic effects	26,7 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment Value		
Propan-2-ol	Fresh water	140,9 mg/l	
	Marine water	140,9 mg/l	
	Intermittent use/release	140,9 mg/l	
	Sewage treatment plant	2251 mg/l	
	Fresh water sediment	552 mg/kg dry weight (d.w.)	
	Marine sediment	552 mg/kg dry weight (d.w.)	
	Soil	28 mg/kg dry weight (d.w.)	
	Oral (Secondary Poisoning)	160 mg/kg food	
2-Butoxyethanol	Fresh water	8,8 mg/l	
	Marine water	0,88 mg/l	
	Freshwater - intermittent	26,4 mg/l	
	Sewage treatment plant	463 mg/l	
	Fresh water sediment	34,6 mg/kg dry weight (d.w.)	
	Marine sediment	3,46 mg/kg dry weight (d.w.)	
	Soil	2,33 mg/kg dry weight (d.w.)	
	Oral (Secondary Poisoning)	20 mg/kg food	
Ammonium hydroxide	Fresh water	0,001 mg/l	
	Freshwater - intermittent	0,008 mg/l	
	Marine water	0,001 mg/l	
	Soil	0,022 mg/kg dry	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 05.11.2024 10215031-00008 Date of first issue: 10.11.2021 4.1

weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust ventilation.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Wear the following personal protective equipment: Eye/face protection

Safety goggles

Equipment should conform to NF EN 166

Hand protection

Skin and body protection

Material butyl-rubber 240 min Break through time Glove thickness 0,7 mm

Directive : Equipment should conform to NF EN 374

Protective index Class 5 24 min Wearing time

Remarks Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic

protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

If adequate local exhaust ventilation is not available or expo-Respiratory protection

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to NF EN 14387

Organic vapour type (A) Filter type

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Aqueous solution

Colour colourless

Odour characteristic

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

: 82 °C

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Ignitable (see flash point)

Upper explosion limit / Upper

flammability limit

12 %(V)

Lower explosion limit / Lower

flammability limit

2 %(V)

Flash point : 33 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 10 (20 °C)

Concentration: 100 %

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : slightly soluble

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : 48 hPa (20 °C)

Relative density : ca. 1 (20 °C)

Reference substance: Water

Density : 0,98 g/cm³ (20 °C)

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

9.2 Other information

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Flammable liquid and vapour.

Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

Acids

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

Components:

Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l

Exposure time: 6 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

2-Butoxyethanol:

Acute oral toxicity : LD50 (Guinea pig): 1.200 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 3 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Expert judgement

Acute dermal toxicity : LD50 (Guinea pig): > 2.000 mg/kg

Ammonium hydroxide:

Acute oral toxicity : LD50 (Rat): 350 mg/kg

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Skin corrosion/irritation

Not classified based on available information.

Components:

Propan-2-ol:

Species : Rabbit

Result : No skin irritation

2-Butoxyethanol:

Species : Rabbit

Method : Directive 67/548/EEC, Annex V, B.4.

Result : Skin irritation

Ammonium hydroxide:

Species : Rabbit

Result : Corrosive after 3 minutes to 1 hour of exposure Remarks : Based on national or regional regulation.

Serious eye damage/eye irritation

Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

Components:

Propan-2-ol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

2-Butoxyethanol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

Ammonium hydroxide:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Propan-2-ol:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

2-Butoxyethanol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

2-Butoxyethanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Intraperitoneal injection

Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Ammonium hydroxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propan-2-ol:

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 104 weeks

Method : OECD Test Guideline 451

Result : negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

2-Butoxyethanol:

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 2 Years Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

2-Butoxyethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour)

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 05.11.2024 10215031-00008 Date of first issue: 10.11.2021 4.1

Repeated dose toxicity

Components:

Propan-2-ol:

Species Rat NOAEL 12,5 mg/l

Application Route : inhalation (vapour)

Exposure time 104 Weeks

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Propan-2-ol:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 24 h

Toxicity to microorganisms EC50 (Pseudomonas putida): > 1.050 mg/l

Exposure time: 16 h

2-Butoxyethanol:

LC50 (Oncorhynchus mykiss (rainbow trout)): 1.464 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.800 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.840

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 05.11.2024 10215031-00008 Date of first issue: 10.11.2021 4.1

plants mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 679

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC: > 100 mg/l

Exposure time: 21 d

Species: Danio rerio (zebra fish)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10: 134 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Ammonium hydroxide:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0,89 mg/l

Exposure time: 96 h

Test substance: Neutralised product

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 101 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic tox- : 1

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,0135 mg/l Exposure time: 73 d

Species: Oncorhynchus mykiss (rainbow trout)

Test substance: Neutralised product

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,961 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: Based on data from similar materials

12.2 Persistence and degradability

Components:

Propan-2-ol:

Biodegradability Result: rapidly degradable

BOD/COD BOD: 1,19 (BOD5)

> COD: 2,23 **BOD/COD: 53 %**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

2-Butoxyethanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 90,4 % Exposure time: 28 d

Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Propan-2-ol:

Partition coefficient: n-

octanol/water

log Pow: 0,05

2-Butoxyethanol:

Partition coefficient: n-

octanol/water

: log Pow: 0,81

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product

20 01 29*, detergents containing hazardous substances

unused product

20 01 29*, detergents containing hazardous substances

uncleaned packagings

15 01 10*, packaging containing residues of or contaminated

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 1987
ADR : UN 1987
RID : UN 1987
IMDG : UN 1987
IATA : UN 1987

14.2 UN proper shipping name

ADN : ALCOHOLS, N.O.S.

(Propan-2-ol)

ADR : ALCOHOLS, N.O.S.

(Propan-2-ol)

RID : ALCOHOLS, N.O.S.

(Propan-2-ol)

IMDG : ALCOHOLS, N.O.S.

(Propan-2-ol)

IATA : Alcohols, n.o.s.

(Propan-2-ol)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 3 **ADR** : 3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

 RID
 : 3

 IMDG
 : 3

 IATA
 : 3

14.4 Packing group

ADN

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

ADR

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3
Tunnel restriction code : (D/E)

RID

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

IMDG

Packing group : III
Labels : 3
EmS Code : F-E, S-D

IATA (Cargo)

Packing instruction (cargo : 366

aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

IATA (Passenger)

Packing instruction (passen: 355

ger aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Not applicable

Not applicable

Not applicable

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) on substances that deplete the ozone

laver

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EU) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

P5c FLAMMABLE LIQUIDS 5.000 t 50.000 t

Occupational Illnesses (R-

461-3, France)

84

4331

Reinforced medical supervi-

sion (R4624-23)

The product has no CMR properties category 1, 1A or 1B

Installations classified for the protection of the environment

(Environment Code R511-9)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 14 %, 137,2 g/l

Remarks: VOC content excluding water

Regulation (EC) No. 648/2004, as amended

Other constituents: Perfumes

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H225 : Highly flammable liquid and vapour.

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H318 : Causes serious eye damage. H319 : Causes serious eye irritation.

H331 : Toxic if inhaled.

H336 : May cause drowsiness or dizziness.

H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.

EUH071 : Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation

STOT SE : Specific target organ toxicity - single exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

FR VLE : France. Occupational Exposure Limits

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit FR VLE / VME : Time Weighted Average FR VLE / VLCT (VLE) : Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

arecal Active Clean active windscreen cleaner 5 litres



Version Revision Date: SDS Number: Date of last issue: 10.06.2024 4.1 05.11.2024 10215031-00008 Date of first issue: 10.11.2021

Classification of the mixture: Classification procedure:

Flam. Liq. 3 H226 Based on product data or assessment

Eye Irrit. 2 H319 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

FR / EN